

## LP Single Row Digital Counter



### BENEFIT:

- : Promotes Healthy Team (Line) Competition or Awareness
- : Indicates Corrective Action Needs.
- : Motivate Staff & Improve Productivity.
- : Real Time Production Information for supervisor & Manager.

### FEATURES:

- : Large & Accurate Super Bright Led Display .
- : Low Maintenance

### APPLICATION:

- : Production Planning & Control.
- : Production Status.

### Specification

No. of Row	1
Digits Height	1", 2.3", 4", 6", 8" and Others
Viewing Distance	2.3" Solid Segment - 60' / 80'
Recomented / Maximum	4" Solid Segment - 100' / 140' 6" Discrete - 180' / 240' 8" Discrete - 240' / 320'
Digits	2, 3, 4, 5, 6
Sided of Display	Single Sided or Double Sided
Power Source	100 -240VAC + 10% , 0.5A ,50 - 60 Hz ( 12V 1.5A Ac to Dc Adaptor )
Memory	Eeprom
Mounting	Hang or wall Type
Count Input	a - Edge Trigger NPN ( Transistor Input) b - Relay, Microswitch etc.
Reset	Remote Reset
Option	Relay Output

### HOW TO ORDER PRODUCTION COUNTER

LPG1000-AB-CD

Key	Description	Choices
A	Digits Height	1= 1" (Solid Digits ) 2= 2.3" (Solid Digits) 4= 4" (Solid Digits) 6= 6" (Discrete Digits) 8= 8" (Discrete Digits) 0= Others
B	Number of digits	2, 3, 4, 5, 6
C	Sided of display	D : Double sided S : Single Sided
D	Display Colour	R RED G= Green A= Amber ( Discrete only )



### Double Sided Display

We also provide customer with solutions and a variety of customize products Which meet your requirements economically.

Please Feel Free to contact us if you have any doubt?

## LP Single Row Digital Counter



### Specification

Model	LPG1000-43-DR	LPG1000-44-DR	LPG1000-45-DR	LPG1000-46-DR	LPG1000-43-SR	LPG1000-44-SR	LPG1000-45-SR	LPG1000-46-SR	LPG1000-23-DR	LPG1000-24-DR	LPG1000-25-DR	LPG1000-26-DR	LPG1000-23-SR	LPG1000-24-SR	LPG1000-25-SR	LPG1000-26-SR
Display	Indoor Display															
No of row	1															
Segment	Solid 7 Segment Display															
Figure size	4 inch								2.3 inch							
Digits	3	4	5	6	3	4	5	6	3	4	5	6	3	4	5	6
Color of LED	Red															
Sided of display	Double Sided				Single Sided				Double Sided				Single Sided			
Count and Reset Input	Non Contact : Open Collector (NPN Sensor) Contact : Relay, microswitch, etc															
Sensor Power	12vdc 100mA															
Memory	EEPROM															
Visibility	4" up to 50 Meter								2.3" up to 25 Meter							
Power source	100 -240VAC $\pm$ 10% , 0.5A ,50 - 60 Hz ( 12v 1.5A Adaptor )															
Mounting	Hang type or Wall Mould Type															
Dimension $\pm$ 1mm Unit = mm	H195xW350xD76	H195xW430xD76	H195xW525xD76	H195xW615xD77	H179xW 326xD49	H179xW412xD49	H179xW510xD49	H179xW615xD50	H146xW220xD76	H146xW270xD76	H146xW316xD76	H146xW365xD77	H127xW220xD49	H127xW254xD49	H127xW300xD49	H127xW362xD50

### Option

#### Photoelectric sensors

#### Press Button Switch



## LP Single Row Digital Counter



### Specification

Model	LPG1000-63-DR	LPG1000-64-DR	LPG1000-65-DR	LPG1000-66-DR	LPG1000-63-SR	LPG1000-64-SR	LPG1000-65-SR	LPG1000-66-SR	LPG1000-83-DR	LPG1000-84-DR	LPG1000-85-DR	LPG1000-86-DR	LPG1000-83-SR	LPG1000-84-SR	LPG1000-85-SR	LPG1000-86-SR
Display	Indoor Display															
No of row	1															
Segment	Discrete 7 Segment Display															
Figure size	6								8							
Digits	3	4	5	6	3	4	5	6	3	4	5	6	3	4	5	6
Color of LED	Red															
Sided of display	Double Sided				Single Sided				Double Sided				Single Sided			
Count and Reset Input	Non Contact : Open Collector (NPN Sensor) Contact : Relay, microswitch, etc															
Sensor Power	12vdc 100mA															
Memory	EEPROM															
Visibility	180 /240'								240 /320'							
Power source	100 -240VAC $\pm$ 10% , 0.5A ,50 - 60 Hz ( 12v 1.5A Adaptor )															
Mounting	Hang type															
Dimension $\pm$ 1mm Unit = mm	H255xW425xD76	H255xW545xD76	H255xW665xD76	H255xW785xD77	H233xW425xD49	H233xW545xD49	H233xW665xD49	H233xW785xD50	H317xW553xD76	H317xW713xD76	H317xW873xD76	H317xW1033xD77	H295xW531xD49	H295xW691xD49	H295xW851xD48	H295xW1011xD49

### Option

#### Photoelectric sensors

#### Press Button Switch



We Also Provide Customer With Solutions And A Variety Of Customize Product Which Meet Their Requirement Economically.